

SAFETY DATA SHEET

Creation Date 21-May-2011 Revision Date 13-March-2020

SECTION 1: Identification

Product Name: PMMA series electron beam resist Identified Uses: Positive tone electron beam resist

Company EM Resist Ltd.

Alderley Park Macclesfield SK10 4TG

UNITED KINGDOM

 Telephone
 +44 (0)1625 704465

 E-mail Address
 info@emresist.com

 Emergency Phone #
 +44 (0)1625 704465

SECTION 2: Hazards identification

Classification

Flammable liquids	(Category 3)
Specific target organ toxicity	(Category 3)
Specific target organ toxicity	(Category 2)

Label Elements

Pictogram







Precautionary statement(s):

Signal Word

Hazard statement(s):

H226	Flammable liquid and vapour	P210	Keep away from heat/sparks/open flames/hot surfaces – No smoking			
H302	Harmful if swallowed	P261	Avoid breathing dust/fume/gas/mist/vapours/spray			
H315	Causes skin irritation	P280	Wear protective gloves/protective clothing			
H319	Causes serious eye irritation	P301 + P310	IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician			
Н336	May cause drowsiness or dizziness	P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.			

H373	May cause damage to organs through prolonged or repeated exposure	P271	Use only outdoors or in a well-ventilated area.
		P304 +	IF INHALED: Remove victim to
		P340	fresh air and keep at rest in a position comfortable for breathing.
		P370 +	In case of fire: Use CO ₂ , dry
			•
		P378	chemical or foam for extinction.
		P403	Store in a well-ventilated place.
			Keep container tightly closed
		P501	Dispose of contents/container to an approved waste disposal plant

SECTION 3: Composition / information on ingredients

Component	Weight %
Anisole	<=99%
CAS: 100-66-3	
Methyl methacrylate polymer	1-15%
CAS: 9011-14-7	

SECTION 4: First-aid measures

Eve Contact	Rinse immediately v	with plenty	of water	. also under the e	evelids, fo
Lyc Contact	minist infinituations v	WILLI DICTILY	or water	, aiso unaci tiic t	y Ciius, ic

at least 15 minutes. Obtain medical attention

Skin Contact Wash off immediately with plenty of water for at least 15 minutes.

Get medical attention if symptoms occur.

Inhalation Move to fresh air. If breathing is difficult give oxygen. Get medical

attention if symptoms occur.

Ingestion Do not induce vomiting. Obtain medical attention

Most important Breathing difficulties. Symptoms of overexposure may be

symptoms/effects headaches, dizziness, tiredness, nausea and vomiting.

SECTION 5: Fire-fighting measures

Suitable Extinguishing Media User water spray, alcohol-resistant foam, dry chemical or

carbon dioxide. Cool closed containers exposed to fire with

water spray.

Flash Point 43°C / 109.4°F

Autoignition Temperature 475°C / 887°F

Specific Hazards Arising from

the Chemical

Flammable. Risk of ignition. Vapours may form explosive mixtures with air. Vapours may travel to source of ignition and flash back. Thermal decomposition can lead to release of irritating gases and vapours. Keep product and empty container

away from heat and sources of ignition.

Hazardous Combustion

Products

Protective Equipment and Precautions for Firefighters

Carbon monoxide (CO), Carbon dioxide (CO₂), Phenols.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and

full protective gear

SECTION 6: Accidental release measures

Personal Precautions Use personal protective equipment as required. Remove all

sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid contact

with skin, eyes and clothing

Environmental Precautions Avoid release to the environment

Methods for Containment and

Clean Up

Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Use

spark-proof tools and explosion- proof equipment

SECTION 7: Handling and storage

Handling Wear personal protective equipment. Keep away from open

flames, hot surfaces and sources of ignition. Ensure adequate ventilation. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static

discharge. Avoid contact with skin, eyes and clothing

Storage Keep containers tightly closed in a dry, cool and well ventilated

place. Keep away from heat and sources of ignition.

Flammables areas

SECTION 8: Exposure controls/personal protection

Exposure Guidelines This product does not contain any hazardous

materials with occupational exposure limits established by the region specific regulatory

bodies

Engineering Measures Ensure adequate ventilation, especially in

confined areas. Use explosion-proof

electrical/ventilating/lighting/equipment.

Ensure that eyewash stations and safety showers are close to the workstation location

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or

chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR

1910.133 or European Standard EN166

Skin and body protection Wear appropriate protective gloves and

clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in

29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are

experienced

Hygiene Measures Handle in accordance with good industrial

hygiene and safety practice

SECTION 9: Physical and chemical properties

Physical State Liquid

Appearance Clear to straw coloured

Odor Sweet aromatic

Odor Threshold No Information available pH No Information available

Melting Point/Range -37°C / -34.6°F

Boiling Point/Range 154°C / 309.2°F @ 760 mmHg

Flash Point 43°C / 109.4°F

Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 6.3 vol %

 Lower
 0.34 vol %

 Vapor Pressure
 10 mmHg @ 42°C

Vapor Density 3.72

Relative Density SolubilityNo information available
Insoluble in water

Autoignition Temperature

Decomposition Temperature Partition coefficient: n-

octanol/water

Viscosity

475°C / 887°F

No information available No information available

No information available

SECTION 10: Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions

Conditions to avoid Incompatible products. Excess heat. Keep away from open

flames, hot surfaces and sources of ignition

Incompatible Materials Strong oxidising agents

Hazardous Decomposition

Products

Carbon monoxide (CO), Carbon dioxide (CO2), Phenols

Hazardous Polymerisation Hazardous polymerisation does not occur

Hazardous Reactions May form explosive peroxides

SECTION 11: Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Anisole	Not listed	Not listed	3021 mg/m3/2h (Mouse)

Toxicologically Synergistic

Products

No information available

<u>Delayed and immediate effects as well as chronic effects from short and long-term exposure</u>

Irritation No information available

Sensitization No information available

Carcinogenicity None of the components have been found to be a potential

carcinogen in the Inernational Agency for Research on Cancer (IARC) Monographs or found to be a potential carcinogen by OSHA. None of the components are listed in the National Toxicological Program (NTP) Report on Carcinogens

Mutagenic Effects No information available

Reproductive EffectsNo information available

Developmental EffectsNo information available

Teratogenicity No information available

STOT – single exposure Central nervous system (CNS)

STOT – repeated exposure Liver, Kidney

Aspiration hazard No information available

Symptoms/effects, both acute

and delayed

Symptoms of overexposure may be headache, dizziness,

tiredness, nausea, and vomiting

Endocrine Disruptor

Information

No information available

SECTION 12: Ecological Information

Acute aquatic toxicity

Acute toxicity to fish

Component Details

Anisole 48hr LC50 Cyprinus Carpio 120 mg/L

Acute toxicity to aquatic invertebrates

Component Details

Anisole 24hr EC50 Daphnia magna: 40 mg/L

Acute toxicity to algae

Component Details

Anisole 96hr EC50 Green Algae 162 mg/L

Specific concentration limits

These values listed below represent the percentages of ingredients of unknown toxicity

15% Acute aquatic toxicity – fish

15% Acute aquatic toxicity – aquatic invertebrates

15% Acute aquatic toxicity – algae

Chronic aquatic toxicity

Chronic toxicity to fish - no data found

Chronic toxicity to aquatic invertebrates – no data found

Chronic toxicity to algae – no data found

Persistence/Degradability

Component Details

Anisole Inherently biodegradable

Bioaccumulation

Component Details

Anisole Not expected to bioaccumulate

Mobility

Component Details

Anisole No data found

SECTION 13: Disposal Considerations

Precautions – Containers may be hazardous when empty. Since emptied containers retain product residue follow all SDS and label warnings even after container is emptied. Dispose of contents/container in accordance with local regulation.

Disposal – Comply with applicable local, state or international regulations regarding the proper disposal of this material and/or containers.

SECTION 14: Transport Information

UN-No UN2222

Proper Shipping Name ANISOLE SOLUTION

Hazard Class 3
Packing Group III

SECTION 15: Regulatory Information

US and International information

Chemical Inventories: TSCA (US) – Components are listed or comply with TSCA

regulations

EINECS/ELINCS/NLP (EU) – Components are listed or

exempt

China – Components are listed Japan – Components are listed

DSL/NDSL (Canada) – Components are listed AICS (Australia) – Components are listed

Korea – Components are listed Philippines – Components are listed

SARA Title III: This product IS NOT subject to SARA Title III, Section 313

Reporting Requirements

SECTION 16: Other information

Prepared ByEM Resist Ltd.Creation Date21-May-2011Revision Date13-March-2020

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.